



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/651,311	08/30/2000	David S. Soane	0225-0010.30	2715

22918 7590 03/11/2003

PERKINS COIE LLP
P.O. BOX 2168
MENLO PARK, CA 94026

[REDACTED] EXAMINER

STARSIAK, JOHN S

ART UNIT	PAPER NUMBER
1753	(3)

DATE MAILED: 03/11/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No. 09/651,311 Examiner ~ STARSIAK	Applicant(s) David S. Soane et al Group Art Unit 1753
---	--

—The MAILING DATE of this communication appears on the cover sheet beneath the correspondence address—

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, such period shall, by default, expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

Responsive to communication(s) filed on 30 August 2000

This action is FINAL.

Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11; 453 O.G. 213.

Disposition of Claims

Claim(s) 22, 23 is/are pending in the application.

Of the above claim(s) _____ is/are withdrawn from consideration.

Claim(s) _____ is/are allowed.

Claim(s) 22, 23 is/are rejected.

Claim(s) _____ is/are objected to.

Claim(s) _____ are subject to restriction or election requirement

Application Papers

The proposed drawing correction, filed on _____ is approved disapproved.

The drawing(s) filed on _____ is/are objected to by the Examiner

The specification is objected to by the Examiner.

The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. § 119 (a)-(d)

Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119 (a)-(d).

All Some* None of the:

Certified copies of the priority documents have been received.

Certified copies of the priority documents have been received in Application No. _____.

Copies of the certified copies of the priority documents have been received

in this national stage application from the International Bureau (PCT Rule 17.2(a))

*Certified copies not received: _____

Attachment(s)

Information Disclosure Statement(s), PTO-1449, Paper No(s). _____

Interview Summary, PTO-413

Notice of Reference(s) Cited, PTO-892

Notice of Informal Patent Application, PTO-152

Notice of Draftsperson's Patent Drawing Review, PTO-948

Other _____

Office Action Summary

Art Unit: 1753

DETAILED ACTION

Specification

The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 22 and 23 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 23 recites: "the device of claim 21, wherein said movement area includes one or more channels on the support. This claim fails to recite any structural relationships between the one or more channels and the elements of the movement area recited in claim 22, i.e. "a main arm and a plurality of side arms".

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Art Unit: 1753

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 22 and 23 are rejected under 35 U.S.C. 102(b) as being anticipated by Batchelder.

The channel structure recited in the claims reads on the device of Batchelder illustrated in figure 6A. Regarding the recitation in the claims that the electrodes are in contact with the fluid, Batchelder teaches [col. 4, lines 50-55]: “Note that FIGS. 2 and 2A include insulators placed between the electrodes and the mobile dielectric materials. These are not necessary if the conductivity of the dielectric media is low enough, and if there are no detrimental interactions between the electrode material and the dielectric media.”.


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John S. Starsiak Jr. whose telephone number is (703) 308-1797. The examiner can normally be reached on Monday to Wednesday from 8:00 AM to 3:30 PM and on Thursday and Friday from 8:00 AM to 12:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam Nguyen, can be reached on (703) 308-3322. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9310.

Art Unit: 1753

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.



NAM NGUYEN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700



John S. Starsiak Jr.

06 March 2003